






!"#\$%&' ()
*" +,!"#\$%&' ()





! "\$%&'



! "\$%&' (\$*#)*+, - ""*.+./&)\$0.)%"& - ""*.+./&)\$0.)%"& 1&" 234+4,5' ,6%#4+\$%

-(T.#"## p

•&. T%< Ž•,, •' 'ahlaan bik

* (+=(&4.#)B p

6+<= S (4C""

U&%B% # S "4C""

8X%V(&4.#) p

5 (&' .# 2 (&V4%<=,X%44C"" ' ' (#

U&(#<= o%(#9(#6(

U&(#<= o%(#9(#6

-+.4% # o(#9(#6+.

-+.4% # o(#9(#6+"

%"" .#B=

g#%&(),•&. T,v' %&. +(B p

•&. T%< Ž•,, •' 'ahlaan bik

v#;4%B= S (4<"" (

q(&B% # Šz[F,} -•

2%#)%

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Orange bar

Green bar

Green bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Grey bar

Orange bar

Green bar

!"#\$%&' (\$*#)*+, -""*.+,/&)\$0.)%"& -""*.+,/&)\$0.)%"& 1&"234+4,5',6%#4+\$\$%

Z% T.TX(x

!= (X.
!= %T. &X(
v#; 4%B=
?. 4. #; .
?"%B. #
*.' TA.
*). 6
*)(T(4(
8= . #; . #%
8=" #.
8"+=" "
3" #; .
3BX. #.
r(#).
Y="B.

S(4<"" (

@. 6A.

S.' C(4(C% (

•4T. #% M

•4T. #% # %' %&^1y&%+6&

•#; "4. M

q"&+6; 6(B(o(' ,9%#).


•&' (#% M

•&' (#% # , - . /, 0- 12345 o. &%; . 46B+

o(4; %6' M


A series of horizontal bars in grey, green, and orange, arranged in a pattern that suggests a data visualization or a sequence of states. The bars are of varying lengths and are positioned at regular intervals, creating a rhythmic visual structure.

* (y. 4%
q. B="+
q (&B% #
q " 4%B=
q "&+6; 6(B(
q6#7. T%
%o" ' .#% #



)(#+

()\$*#)*+,7,8"&.4)%.)09: ";
•4T.#% #



|Y="B.

S.' C(A(C%((

)(#+